




FAG BEARING LIMITED



RNU 2210 ECP Bearing 2D drawings and 3D CAD models

SKF RNU 2210 ECP cylindrical roller bearings

Bearing No. RNU 2210 ECP

Size	90x59.5x23 mm
Bore Diameter	90 mm
Outer Diameter	59,5 mm
Width	23 mm
F_w	59.5 mm
D	90 mm
C	23 mm
D_1	77.4 mm
$r_{1,2}$ - min.	1.1 mm
d_a - max.	57.5 mm
D_a - max.	82.4 mm
r_a - max.	1 mm
Basic dynamic load rating - C	90 kN
Basic static load rating - C_0	88 kN
Fatigue load limit - P_u	11.4 kN
Reference speed	8500 r/min
Limiting speed	9000 r/min
Calculation factor - k_r	0.2
Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	0.439
Product Group	B04144
Bore Profile	Straight



FAG BEARING LIMITED

Cage Material	Polymer
Precision Class	RBEC 1 ISO P0
Number of Rows of Rollers	Single Row
Separable	No
Rolling Element	Cylindrical Roller Bearing
Profile	Roller Assembly with Outer Ring - No Inner Ring
Snap Ring	No
Internal Clearance	C0-Medium
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Inch
Other Features	High Capacity 2 Rib Outer Ring Cage on Outer Ring ID
Long Description	2.343" Bore; Straight Bore Profile; 3.543" Outside Diameter; 29/32" Width; Polymer Cage Material; RBEC 1 ISO P0; Single Row; Not Separable; No Snap Ring; Relubricatable; C0-Medium Int
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Keyword String	Cylindrical
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	RNU 2210 ECP
Weight / LBS	0.968
Bore	2.343 Inch 59.5 Millimeter
Width	0.906 Inch 23 Millimeter
Outside Diameter	3.543 Inch 90 Millimeter
F _w	59.5 mm



FAG BEARING LIMITED

D_1	77.4 mm
$r_{1,2}$ min.	1.1 mm
d_a max.	64 mm
D_a max.	82.4 mm
r_a max.	1 mm
Basic dynamic load rating C	90 kN
Basic static load rating C_0	88 kN
Fatigue load limit P_u	11.4 kN
Calculation factor k_r	0.2
Limiting value e	0.3
Axial load factor Y	0.4
Mass bearing	0.42 kg